



References

Natural supplements and products Research

1. Abramson CI, Lay A, Bowser TJ et al. The use of silver vine (*Actinidia polygama* Maxim, family Actinidiaceae) as an enrichment aid for felines: Issues and prospects. *Am J Anim Vet Sci* 2012; 7: 21– 7.
2. Ağan U. B. , Hosseinpour Raouf S. , Uzun B. , Meral Y. The Hidden Potential of Herbal Remedies and Nutraceuticals in Canine and Feline Behavioural Disorders. *Van Veterinary Journal*. 2022; 33(1): 36-41.
3. Albright JD, Seddighi RM, Ng Z, Sun X, Rezac DJ. Effect of environmental noise and music on dexmedetomidine-induced sedation in dogs. *PeerJ*. 2017 Jul 31;5:e3659. doi: 10.7717/peerj.3659
4. Amaya V, Patterson MA, Phillips CJC. Effects of Olfactory and Auditory Enrichment on the Behaviour of Shelter Dogs. *Animals* 2020, 10, 581; doi:10.3390/ani10040581
5. Anthes E. A crucial blind spot in veterinary medicine. *The Atlantic* Nov. 2019 <https://www.theatlantic.com/science/archive/2019/11/danger-pet-placebo/601489/>
6. Araujo JA, de Rivera C, Ethier J et al. Anxitane® tablets reduce fear of human beings in a laboratory model of anxiety-related behavior. *J Vet Behav* 2010; 5, 268-275
7. Artemiou E, Gilbert GE, Sithole F, Koster LS. The Effects of Music during a Physical Examination Skills Practice: A Pilot Study. *Vet Sci*. 2017 Sep 27;4(4):48. doi: 10.3390/vetsci404004
8. Beata C, Beaumont-Graff E, Coll V et al. Effect of alpha-casozepine (Zylkene) on anxiety in cats. *J Vet Behav* 2007;2:40-46
9. Beata C, Beaumont-Graff E, Diaz C et al. Comparison of the effect of alpha-casozepine (Zylkene) versus selegiline hydrochloride on anxiety disorders in dogs. *J Vet Behav* 2007;2:175-183
10. Beck, A. De Jaeger X, Colin J-F et al. Effect of a synthetic feline pheromone for managing unwanted scratching. *Intern J Appl Res Vet Med*, 2018;16:13-27.
11. Binks J, Taylor S, Wills A et al. The behavioural effects of olfactory stimulation on dogs at a rescue shelter. *Appl Anim Behav Sci* 2018; 202: 69-76
12. Bol S, Caspers J, Buckingham L et al. Responsiveness of cats (*Felidae*) to silver vine (*Actinidia polygama*), Tatarian honeysuckle (*Lonicera tatarica*), valerian (*Valeriana officinalis*) and catnip (*Nepeta cataria*). *BMC Vet Res* 2017, 13:70 doi: 10.1186/s12917-017-0987-6.
13. Bosch G, Beerda B, Beynen AC, et al. Dietary tryptophan supplementation in privately owned mildly anxious dogs. *Appl Anim Behav Sci* 2009; 121, 197–205
14. Bowman A, Scottish SPCA, Dowell FJ, et al. The effects of different genres of music on the stress level of kennelled dogs. *Physiol Behav* 2017; 171, 207-15
15. Bowman A, Scottish SPCA, Dowell FJ et al. 'Four seasons' in an animal rescue centre: classical music reduces environmental stress in kennelled dogs. *Physiol Behav* 2015; 143, 70-83
16. Brayley C, Montrose VT. The effects of audiobooks on the behavior of dogs in kennels. *Appl Anim Behav Sci* 2016; 174, 111-115
17. Buckley LA. Are pressure vests beneficial at reducing stress in anxious and fearful dogs. *Vet Evidence* 2018; 3, <https://www.veterinaryevidence.org/index.php/ve/article/view/152>
18. Cerissa A, Griffith CA, Steigerwald ES, et al. Effects of a synthetic facial pheromone on behavior of cats, *J Am Vet Med Assoc* 2000;217:1154–6

19. Conti LM, Champion T, Guberman UC et al. Evaluation of environment and a feline facial pheromone analogue and physiologic and behavioral measures in cats. *J Fel Med Surg* 2017; 19, 165-170
20. Contreras ET, Hodgkins E, Tynes V et al. Effect of a pheromone on stress-associated reactivation of feline herpesvirus-1 in experimentally inoculated kittens. *J Vet Int Med* 2017;32(1)406-417.
21. Corsetti, S., Borruso, S., Malandrucchio, L. et al. *Cannabis sativa* L. may reduce aggressive behaviour towards humans in shelter dogs. *Sci Rep* 2021; 11, 2773 <https://doi.org/10.1038/s41598-021-82439-2>
22. Cottam N, Dodman NH Ha JC. The effectiveness of the anxiety wrap in the treatment of canine thunderstorm phobia: An open-label trial." *J Vet Behav* 2013;8:154-161.
23. Cozzi A, Monneret P, Lafont-Laceulle C et al. Induction of scratching behaviour in cats: efficacy of synthetic feline interdigital semiochemical. *J Feline Med Surg*, 2013;15:872-878.
24. Cracknell NR, Mills DS. A double-blind placebo-controlled study into the efficacy of a homeopathic remedy for fear of firework noises in the dog (*Canis familiaris*). *Vet J* 2008;177: 80 – 8
25. Da Silva, BPL, Knackfuss FB, Labarthe N et al. Effect of a synthetic analogue of the feline facial pheromone on salivary cortisol levels in the domestic cat. *Pesqui Vet Bras* 2017;37(3):287-290.
26. Damon M, Rozanski E, Spagnoletti C et al. Use of the thundershirt to control canine anxiety in the ICU. *Vet Emerg and Crit Care Soc* 2014; S5-S6 (abstract); doi: 10.1111/vec.12227
27. Deabold KA, Schwark WS, Wolf L, et al. Single-dose pharmacokinetics and preliminary safety assessment with use of CBD-rich hemp nutraceutical in healthy dogs and cats. *Animals* 2019;9:832
28. Denenberg S, Landsberg GM. Effect of dog-appeasing pheromones on anxiety and fear in puppies during training its effects on long term socialization. *J Am Vet Med Assoc* 2008;233:1874–82
29. DePorter T, Bledsoe D, Beck A et al. Evaluation of the efficacy of an appeasing pheromone diffuser product vs placebo for management of feline aggression in multi-cat households: a pilot study *J Fel Med Surg* 2019; 21, 293-305
30. DePorter TL, Bledsoe DL, Conley JR et al. Case report series of clinical effectiveness and safety of Solliquin® for behavioral support in dogs and cats. *Proc Veterinary Behavior Symposium, San Antonio, 2016, 27-28*
31. DePorter TL, Landsberg GM, Araujo JA et al. HarmonEase® reduces noise-induced fear and anxiety in a laboratory canine model of thunderstorm simulation: a blinded and placebo-controlled study. *J Vet Behav* 2012; 7; 225-232
32. Dramard, V., Kern L, Hofmans J, et al. Effect of L-theanine tablets in reducing stress-related emotional signs in cats: an open-label field study. *Irish Vet J* 2018; 71: 21 <https://doi.org/10.1186/s13620-018-0130-4>
33. Ellis SLH, Wells DL. The influence of olfactory stimulation on the behaviour of cats housed in a rescue shelter. *Appl Anim Behav Sci* 2010; 123, 56-62
34. Engler W, Bain M. Effect of different types of classical music played at a veterinary hospital on dog behavior and owner satisfaction. *J Am Vet Med Assoc* 2017; 251, 195-200
35. Epstein J, Dowling-Guyer S, McCobb E et al. Addressing stress in dogs in shelters through a novel visual and auditory enrichment device. *Appl Anim Behav Sci* 2021; 236: 105215. DOI: 10.1016/j.applanim.2021.105215
36. Estelles MG, Mills DS. Signs of travel-related problems in dogs and their response to treatment with dog-appeasing pheromone. *Vet Rec* 2006;159:140–8.
37. Gamble LJ, Boesch JM, Frye CW, et al. Pharmacokinetics, safety, and clinical efficacy of cannabidiol treatment in osteoarthritic dogs. *Front Vet Sci* 2018; 5, 65.
38. Gaultier E et al. Efficacy of dog appeasing pheromone in reducing behaviours associated with fear of unfamiliar people and new surroundings in newly adopted puppies. *Vet Rec* 2009; 164; 708-714
39. Gaultier E et al. Efficacy of dog-appeasing pheromone in reducing stress associated with social isolation in newly adopted puppies. *Vet Rec* 2008; 163; 73-8

40. Gaultier E, Bonnafous L, Bougrat L et al. Comparison of the efficacy of a synthetic dog-appeasing pheromone with clomipramine for the treatment of separation-related disorders in dogs. *Vet Rec* 2005; 156; 533-538
41. Gaultier E, Pageat P. Effects of a synthetic dog-appeasing pheromone (DAP) on behaviour problems during transport. In: Seksel K, Perry G, Mills D, et al. editors. *Proc 4th IVBM, Caloundra, Australia. Post Graduate Foundation in Veterinary Science, Sydney, 2003; 33–5.*
42. Goodwin S, Reynolds H. Can aromatherapy be used to reduce anxiety in hospitalized patients? *Vet Nurse* 2018; 9, 167-171
43. Graham D, Wells DL, Hepper PG. The influence of olfactory stimulation on the behaviour of dogs housed in a shelter. *Appl Anim Behav Sci* 2005; 91, 143–53
44. Gruen ME, Griffith EH, Korman J. Treatment of separation anxiety using a pulsed electromagnetic field device; a pilot study. *Proc 12th International Veterinary Behaviour Meeting, Washington, DC, 2019, 25-28*
45. Gunn-Moore DA, Cameron ME. A pilot study using synthetic feline facial pheromone for the management of feline idiopathic cystitis. *J Feline Med Surg* 2004; 6: 133–8
46. Hampton A, Ford A, Cox RE. Effects of music on behavior and physiological stress response of domestic cats in a veterinary clinic. *J Fel Med Surg*. 2020; 22: 122-128.
47. Kato M, Miyaji K, Ohtani N et al. Effects of prescription diet on dealing with stressful situations and performance of anxiety-related behaviors in privately owned anxious dogs. *J Vet Behav* 2012;7 :21-6
48. Kim Y-M, Lee J-K, Abd el-Aty AM, et al. Efficacy of dog-appeasing pheromone (DAP) for ameliorating separation-related behavioral signs in hospitalized dogs. *Can Vet J* 2010;1:380-4
49. King C, Buffington L, Smith TJ et al. The effect of pressure wrap (ThunderShirt™) on heart rate and behavior in canines diagnosed with anxiety disorder. *J Vet Behav* 2014; 9, 215-21
50. Kogan LR, Schoenfeld-Tacher R, Simon AA. Behavioral effects of auditory stimulation on kennel dogs. *J Vet Behav* 2012;7:268-75
51. Koster LS, Sithole F, Gilbert GE et al. The potential beneficial effects of classical music on heart rate variability in dogs used in veterinary training. *J Vet Behav* 2019; 30: 103-109
52. Kronen PW, Ludders JW, Erb HN, et al. A synthetic fraction of feline facial pheromones calms but does not reduce struggling in cats before venous catheterization. *Vet Anaesth Analg* 2006; 33: 258–265.
53. Landsberg G, Huggins S, Fish J et al. The effects of a nutritional supplement (Solliquin) in reducing fear and anxiety in a laboratory model of thunder-induced fear and anxiety. In Denenberg S (ed). *Proc 11th International Veterinary Behaviour Meeting, CABI Oxfordshire UK, 2017; 94-97*
54. Landsberg GM, Milgram NW, Mougeot I, et al. Therapeutic effects of an alpha-casozepine and l-tryptophan supplemented diet on fear and anxiety in the cat. *J Fel Med Surg* 2017; 6, 594-602
55. Landsberg GM, Beck A, Lopez A et al. Dog-appeasing pheromone collars reduce sound-induced fear and anxiety in Beagle dogs: a placebo-controlled study. *Vet Rec* 2015; 10, 391-398
56. Lees P, Pelligand L, Whiting M et al. Comparison of veterinary drugs and veterinary homeopathy: Part 2. *Vet Rec*, 2017;181:198-207.
57. Lindig AM, McGreevy PD, Crean AJ. Musical dogs: A review of the influence of auditory enrichment on canine health and behavior. *Animals* 2020; 10, 127
58. Maccariello CEM, De Souza CCF, Marena L et al. Effects of acupuncture on the heart rate variability, cortisol levels and behavioural response induced by thunder sound in Beagle dogs. *Physiol Behav* 2018; 186, 37-44
59. Makawey A, Iben C, Palme R. Cats at the Vet: The Effect of Alpha-s1 Casozepin, *Animals* 2020; 10, 2047. <https://doi.org/10.3390/ani10112047>

60. Masic A, Landsberg G, Milgram B et al. Efficacy of Souroubea-Platanus dietary supplement containing triterpenes in Beagle dogs using a thunderstorm noise-induced model of fear and anxiety. *Molecules* 2021, 26, 2049. <https://doi.org/10.3390/molecules26072049>
61. McDonald, C, Zaki, S. A role for classical music in veterinary practice: does exposure to classical music reduce stress in hospitalised dogs? *Aus Vet Jour* 2020;98:31-36.
62. McGowan RTS, Barnett Hallie R. Czarnecki-Maulden G et al. Tapping into those 'Gut Feelings': Impact of BL999 (*Bifidobacterium longum*) on anxiety in dogs. *Proc. Vet Behav Symp*, Denver 2018, 8-9
63. McGrath S, Bartner LR, Rao S et al. A report of adverse effects associated with the administration of cannabidiol in healthy dogs. *J Am Holist Vet Med Assoc* 2018;52:34–38
64. McGrath S, Bartner LR, Rao S, et al. Randomized blinded controlled clinical trial to assess the effect of oral cannabidiol administration in addition to conventional antiepileptic treatment on seizure frequency in dogs with intractable idiopathic epilepsy. *J Am Vet Med Assoc* 2019; 254, 1301-1308.
65. Meyer H, Becvarova I. Effects of a urinary food supplement with milk protein hydrolysate and L-tryptophan on feline idiopathic cystitis – results of a case series in 10 cats. *Intern J Appl Res Vet Med* 2016; 14, 59-65
66. Michelazzi M, Berteselli G, Talamonti Z et al. Efficacy of L-theanine in treatment of noise phobias in dogs; preliminary results. *Veterinaria* 2015; 29, 1-7
67. Michelazzi M, Berteselli G, Minero M, et al. Effectiveness of L-theanine and behavior modification for treatment of phobias in dogs. *J Vet Behav* 2010;5:34–5
68. Milgram NW, Landsberg GM, Snow B. Anxiety reducing effectiveness of Calmz® Anxiety Relief System in beagle dogs in a modified thunderstorm model. *Proc. ACVB/AVSAB Veterinary Behavior Symposium*, Denver, 2014, 29-30
69. Mills DS, Redgate SE, Landsberg GM. A meta-analysis of studies of treatments for feline urine spraying. *PloS ONE* 2011;6:e18448
70. Mills DS, Ramos D, Estelles MG, Hargrave C. A triple blind placebo-controlled investigation into the assessment of the effect of Dog Appeasing Pheromone (DAP) on anxiety related behaviour of problem dogs in the veterinary clinic. *Appl Anim Behav Sci* 2006; 98, 114-126
71. Mira F, Costa A, Mendes E et al. Influence of music and its genres on respiratory rate and pupil diameter variations in cats under general anesthesia; contribution to promoting patient safety. *J Fel Med Surg* 2016; 18, 673-678
72. Miyaji K, Kato M, Ohtani N, et al. Experimental verification of the effects on normal domestic cats by feeding prescription diet for decreasing stress. *J Appl Anim Welf Sci* 2015;18:355-362
73. Morris EM, Kitts-Morgan SE, Spangler DM et al. The impact of feeding cannabidiol (CBD) containing treats on canine response to a noise-induced fear response test. *Front Vet Sci* 2020; 7, 690. doi.org/10.3389/fvets.2020.569565
74. Murtagh K, Farnworth MJ, Brilot BO. The scent of enrichment: exploring the effect of odour and biological salience on behaviour during enrichment of kennel dogs. *Appl Anim Behav Sci* 2020; 223, 104917
75. Naarden B, Corbee RJ The effect of a therapeutic urinary stress diet on the short-term recurrence of feline idiopathic cystitis. *Vet Med Sci* 2020; 6: 32-38
76. Nuti V, Cantile C, Gazzano A et al. Pinch-induced behavioural inhibition (clipthetia) as a restraint method for cats during veterinary examinations: preliminary results on cat susceptibility and welfare. *Anim Welf* 2016, 25, 115-23
77. Pageat P, Tessier Y. Usefulness of the F3 synthetic pheromone Feliway in preventing behaviour problems in cats during holidays. *In Proc. 1st Int Conf Vet Behav Med*, Birmingham,1997; 231
78. Palestini C, Minero M, Cannas S et al. Efficacy of a diet containing caseinate hydrolysate on signs of stress in dogs. *J Vet Behav* 2010;5:309–17
79. Pekkin A-M, Hänninen L, Katriina Tiira K et al. The effect of a pressure vest on the behaviour, salivary cortisol and urine oxytocin of noise phobic dogs in a controlled test. *Appl Anim Behav Sci* 2016; 185; 86-94

80. Pereira JS, Fragoso S, Beck A, et al. Improving the feline veterinary consultation: the usefulness of Feliway spray in reducing cats' stress. *J Fel Med Surg*, 2016; 18, 959-964
81. Periera J, Costa C, Colaco B et al. The influence of Adaptil Calm® on stress and well-being of dogs during consultation. *Proc 4th ECAWBM, Palma 2022*; 74
82. Pike A, Horwitz DL. An open label prospective study of the use of l-theanine (Anxitane) in storm sensitive client owned dogs. *J Vet Behav* 2015; 10, 324-331
83. Pozza ME, Stella JL, Chappuis-Gagnon AC, et al. Pinch-induced behavioral inhibition ('clipnosis') in domestic cats. *J Feline Med Surg* 2008; 10: 82-7
84. Prior MR, Mills DS. Cats vs. Dogs: The efficacy of Feliway Friends™ and Adaptil™ products in multispecies homes. *Front Vet Sci* 2020; 7, 399 DOI=10.3389/fvets.2020.00399
85. Siracusa C, Manteca X, Cuenca R, et al. Effect of a synthetic appeasing pheromone on behavioral, neuroendocrine, immune, and acute-phase perioperative stress responses in dogs. *J Am Vet Med Assoc* 2010; 237, 673–681
86. Snowdon CT, Teie D, Savage M. Cats prefer species appropriate music. *J Appl Anim Behav Sci*, 2015, 166, 106-110
87. Taylor S, Webb L, Montrose T et al. The behavioral and physiological effects of dog appeasing pheromone upon canine behavior during separation from owner. *J Vet Behav*, 2020; 40, 36-42
88. Templeman JR, Davenport GM, Cant JP et al, The effect of graded concentrations of dietary tryptophan on canine behavior in response to the approach of a familiar or unfamiliar individual. *Can J Vet Res.* 2018;82:294-305
89. Tod E, Brander D, Wran N. Efficacy of a dog appeasing pheromone in reducing stress and fear related behaviour in shelter dogs. *Appl Anim Behav Sci* 2005;93:295–308
90. Tynes VV, Landsberg GM. Nutritional management of behavior and brain disorders in dogs and cats. *Vet Clin Small Anim.* 2021;51:711–727
91. Uccheddu S, Mariti C, Sannen A, et al. Behavioral and cortisol responses of shelter dogs to a cognitive bias test after olfactory enrichment with essential oils. *Dog Behavior*, 2018; 2, 1-14
92. Uenoyama R, Miyazaki T, Hurst JL et al. The characteristic response of domestic cats to plant iridoids allows them to gain chemical defense against mosquitoes. *Sci Adv.* 2021 7(4):eabd9135. doi: 10.1126/sciadv.abd91
93. Valente L, DeKeuster T, Da Graca Pereira G. Clipnosis as a handling method in cats: physiological and behavioural welfare indicators. *Proc 9th Internal Veterinary Behaviour Meeting, Lisbon, Mills DS, Da Graca Pereira G, Jacinto DM (eds). PSIAAnimal, Ponthina, Portugal 2013*; 159-160
94. Wells DL. Aromatherapy for travel-induced excitement in dogs. *J Am Vet Med Assoc* 2006; 229, 964-67
95. Wells DL, Graham L, Hepper PG. The influence of auditory stimulation on the behaviour of dogs in a rescue shelter. *Anim Welf* 2002; 11; 385-393