



References

Fear, Anxiety, Stress and Veterinary Visits

1. Aldridge GL, Rose SE. Young Children's Interpretation of Dogs' Emotions and Their Intentions to Approach Happy, Angry, and Frightened Dogs, *Anthrozoös* 2019; 32, 361-374
2. Almond S. Reducing stress whilst hospitalized in a veterinary practice. Part 1. *Vet Nurs J* 2018; 33: 49-51
3. Almond S. Reducing stress whilst hospitalized in a veterinary practice. Part 2. *Vet Nurs J* 2018; 33: 102-104
4. Amici F, Waterman J, Kellermann CM et al. The ability to recognize dog emotions depends on the cultural milieu in which we grow up. *Sci Rep.* 2019 9:16414. doi: 10.1038/s41598-019-52938-4.
5. Andrade D. Canine distress during hospitalization: how can we help them. *Vet Nurs J* 2021; 36: 221-225
6. Arhant C, Hörschläger N, Troxler J. Attitudes of veterinarians and veterinary students to recommendations on how to improve dog and cat welfare in veterinary practice. *J Vet Behav* 2019;31, 10-16
7. Arrandale A, Buckley L. Towel versus hides; which are best at reducing acute stress in the newly hospitalized cat. *Vet Nurs J* 2017; 32: 285-288
8. Behnke AC, Vitale KR, Udell MAR. The effect of owner presence and scent on stress resilience in cats. *Appl Anim Behav Sci* 2021; 243: 105444 <https://doi.org/10.1016/j.applanim.2021>
9. Belew AM, Barlett T, Brown SA. Evaluation of the white-coat effect in cats. *J Vet Intern Med* 1999; 13:134-42.
10. Bigras-Fontaine C, Bazin I, Desmarchelier M. Clinical relevance of rectal temperature measurement in cat showing marked signs of stress during routine veterinary visits: pilot study on 101 cats. *Vet Behav Symp Proc*, 2022, 11
11. Bragg RF, Bennett JS, Cummings A et al. Evaluations of the effects of hospital stress on physiologic variables in dogs. *J Am Vet Med Assoc* 2015; 246, 212-15
12. Caney SM, Robinson NJ, Gunn-Moore DA et al. Happy cats: stress in cats and their carers associated with outpatient visits to the clinic. *J Fel Med Surg.* 2022. doi:[10.1177/1098612X221121907](https://doi.org/10.1177/1098612X221121907)
13. Buckley LA, Arrandale L. The use of hides to reduce acute stress in the newly hospitalised domestic cat (*Felis sylvestris catus*). *Vet Nurs J* 2017; 32: 129-132
14. Carroll AD, Cisneros A, Porter H et al. Dog Owner Perceptions of Veterinary Handling Techniques. *Animals (Basel).* 2022; 2(11):1387. doi: 10.3390/ani12111387
15. Catalán AI, Rojas CA, Chávez GA. Recognition of aggressive and anxious behaviors in canines by a group of Chilean veterinarians. *J Vet Behav* 2020; 38, 8-13
16. Chevalier M, Robert C, Titeux E, et al. Habituation and medical training to veterinary care in dogs via tutorials; towards positive emotions for dogs and owners? *Proc 4th EVCBMAW, Mallorca* 2022: 95
17. Couture M, Stellato AC, Moody CM, Niel L. Owner Perspectives of Cat Handling Techniques Used in the Veterinary Clinic. *J Appl Anim Welf Sci.* 2022 Feb 21:1-11

18. Csoltova E, Martineau M, Boissy A. Behavioural and physiological reactions of dogs to the veterinary examination: Owner-dog interactions improve canine well-being. [Physiol Behav. 2017 177:270-281](#)
19. Dawson LC, Dewey CE, Stone EA, et al. Evaluation of a canine and feline behavioural welfare assessment tool for use in companion animal veterinary practice. [Appl Anim Behav Sci 2018; 201, 67-76](#)
20. Dawson LC, Dewey CE, Stone EA et al. Evaluation of a welfare assessment tool to examine pain assessment and management practices employed in companion animal veterinary clinics. [Can J VetRes 2017; 81, 270–279](#)
21. Dawson LC, Dewey CE, Stone EA et. al. A survey of animal welfare experts and practicing veterinarians to identify and explore key factors thought to influence canine and feline welfare in relation to veterinary care. [Anim Welf 2016; 25, 125–134](#)
22. Dawson LC, Cheal J, Neal L et al. Humans can identify cats' affective states from subtle facial expressions. *Anim Welf* 2019; 28; 519-31
23. de Santana NG, Malm C, Maia MZ et al. Evaluation of post-operative pain and stress in dogs after elective ovariohysterectomy under hospitalization. *Braz J Vet Res Anim Sci.* 2020;57(3):e162908
24. Demirbas YS, Ozturk BE, Kockaya M et al. Adults ability to interpret canine body language during a dog-child interaction. *Anthrozoos* 2016; 29: 581-596
25. Doring D, Roscher A, Scheipl F et. al. Fear related behavior of dogs in veterinary practice. *Vet J*, 2009; 182, 38-43
26. Dornbusch J, Boston S, Colee J. Noise levels in an academic veterinary intensive care unit. *J Vet Emerg Crit Care.* 2020; 30: 632– 637
27. Druce K. Reducing stress in isolated patients. *Vet Nurs J* 2016; 31: 206-209
28. Dudley ES, Schiml PA, Hennessy MB. White blood cells, parasite prevalence, and plasma cortisol levels of dogs in a county animal shelter: Changes over days and impact of a program of repeated human interaction. *J Am Vet Med Assoc* 2015; 247, 1289-1298
29. Dunn LS. Positive impact of Fear Free Certification in Veterinary Practices. 2019. <https://fearfreepets.com/wp-content/uploads/2019/11/The-Positive-Impact-of-Fear-Free-Certification-in-Vet-Practices.pdf>
30. Edwards PT, Smith BP, McArthur ML et al. Implementing Stress-Reducing Veterinary Care: Perceptions of Australian Veterinary Professionals Working with Dogs, *Anthrozoös* 2023; DOI: [10.1080/08927936.2023.2204639](https://doi.org/10.1080/08927936.2023.2204639)
31. Edwards PT, Smith BP, McArthur ML et al. At the heart of a dog's veterinary experience: Heart rate responses in dogs vary across a standard physical examination. *J Vet Behav* 2022; 51: 23-34
32. Edwards PT, Smith BP, McArthur ML et al. Puppy pedicures: Exploring the experiences of Australian dogs to nail trims. *Appl Anim Behav Sci* 2022 <https://doi.org/10.1016/j.applanim.2022.105730>
33. Edwards PT, Hazel SJ, Browne M et al. Investigating risk factors that predict a dog's fear during veterinary consultations. *PLoS One.* 2019; e0215416
34. Edwards PT, Smith BP, McArthur ML et al. Fearful Fido: investigating dog experience in the veterinary context in an effort to reduce distress. *Appl Anim Behav Sci* 2019; 213, 14-25
35. Ellis JJ, Stryhn H, Cockram MS. Effects of the provision of a hiding box or shelf on the behaviour and faecal glucocorticoid metabolites of bold and shy cats housed in single cages. *Appl Anim Behav Sci*, 2021: 236: 105221
36. Ellis SLH. Recognizing and assessing feline emotions during the consultation. *J Fel Med Surg* 2018; 20, 445-56

37. Ellis SLH, Thompson H, Guijarro C et al. The influence of body region, handler familiarity, and order of region handled on the domestic cat's response to being stroked. *Appl Anim Behav Sci* 2015;173;60- 67
38. Engler W, Bain M. Effect of different types of classical music played at a veterinary hospital on dog behavior and owner satisfaction. *J Am Vet Med Assoc* 2017; 251, 195-200
39. Feilberg E, Corridan CL, Buckley LA. A cross-sectional survey of UK veterinary practices to determine prevalence of patient stress-reducing and welfare-enhancing approaches believed to be undertaken in companion animal practice. *J Vet Behav* 2021; 43; 14-23
40. Fullagar B, Boysen S, Toy M et al. Sound pressure levels in 2 veterinary intensive care units. *J Vet Intern Med* 2015; 29: 1013-1021
41. Furgala NM, Moody CM, Flint HE, et al. Veterinary background noise elicits fear responses in cats while freely moving in a confined space and during an examination. *Behav Process* 2022; 201: 104712, <https://doi.org/10.1016/j.beproc.2022.104712>
42. Gacsi M, Maros K, Sernkvist S et al. Human Analogue Safe Haven Effect of the Owner: Behavioural and Heart Rate Response to Stressful Social Stimuli in Dogs *PLoS One* 2013. 2013;8 doi: 10.1371/journal.pone.0058475
43. Gilbert C, Mikaelsson A, Gilbert S. Enhancing dogs' welfare during a veterinary consultation; impact of environmental factors and positive interactions before the consultation. *Proc 1st EVCBMAW, Berlin* 2018, 254-55
44. Gilbert-Gregory S, Proudfoot K, Stull JW et al. Validation of an anxiety tool to assess stress in hospitalized dogs. *Proc Vet Behav Symp, San Antonio* 2016; 20
45. Girault C, Priymenko N, Helsly M et al. Dog behaviours in veterinary consultations: Part 1. Effect of the owner's presence or absence. *Vet J.* 2022;280:105788. doi:10.1016/j.tvjl.2022.105788
46. Glardon OJ, Hartnack S, Horisberger, L. Analyse du comportement des chiens et des chats pendant l'examen physique en cabinet veterinaire. *Schweizer Archiv für Tierheilkunde*, 2010;152(2), 69–75
47. Godbout M, Palestini C, Beauchamp G et al. Puppy behaviour at the veterinary clinic: A pilot study. *J Vet Beh* 2007; 2, 126-135
48. Gourkow N, Fraser D. The effect of housing and handling patterns on the welfare, behavior and selection of domestic cats (*Felis sylvestrus catus*) by adopters in an animal shelter. *Anim Welf* 2006;15, 371
49. Griffin FC, Mandese WW, Reynolds PS et al. Evaluation of clinical examination location on stress in cats: a randomized crossover trial. *J Feline Med Surg.* 2021 23:364-369
50. Grigg EK, Kogan LR, van Haaften K et al. Cat owner's perceptions of psychoactive medications, supplements, and pheromones for the treatment of feline behavior problems. *J Fel Med Surg* 2019;21, 902-909
51. Hanås S, Holst BS, Ljungvall I et al. Influence of clinical setting and cat characteristics on indirectly measured blood pressure and pulse rate in healthy Birman, Norwegian Forest, and Domestic Shorthair cats. *J Vet Intern Med.* 2021; 35(2):801-811
52. Hekman J, Karas AZ, Sharp CR. Psychogenic stress in hospitalized dogs; cross species comparisons, implications for health care, and the challenges of evaluation. *Animals* 2014; 4, 331-347
53. Hekman JP, Karas AZ, Dreschel NA Salivary cortisol concentrations and behavior in a population of healthy dogs hospitalized for elective procedures. *Appl Anim Behav Sci* 2012: 141, 149-157.

54. Helsly M, Priymenko N, Girault C et al. Dog behaviours in veterinary consultations: Part II. The relationship between the behaviours of dogs and their owners. *Vet J*. 2022;281:105789. doi:10.1016/j.tvjl.2022.105789
55. Hernander L. Factors Influencing Dogs' Stress Level in the waiting Room at a Veterinary Clinic. Student Report. Swedish University of Agricultural Sciences, Department of Animal Environment and Health, Ethology and Animal Welfare Programme. 2008. Available online: https://stud.epsilon.slu.se/10787/1/hernander_l_170913.pdf
56. Hennessy MB, Davis HN, Williams MT et al. Plasma cortisol levels of dogs at a county animal shelter. *Physiol Behav* 1997; 62, 485–490.
57. Hewson C. Evidence-based approaches to reducing in-patient-stress- Part 3/: How to reduce in patient stress. *Vet Nurs J* 2014: 29, 234-236
58. Hoglund K, Hanas S, Carnabuci C et al. Blood pressure, heart rate and urinary catecholamines in healthy dogs subjected to different clinical settings. *J Vet Intern Med* 2012; 26, 1300-1208
59. Horn L, Huber L, Range F. The Importance of the Secure Base Effect for Domestic Dogs – Evidence from a Manipulative Problem-Solving Task. *PLoS ONE* 2013; 8: doi:10.1371/journal.pone.0065296
60. Karn-Buehler J, Kuhne F. Perception of stress in cats by German cat owners and influencing factors regarding veterinary care. *J Feline Med Surg*. 2022; 24(8):700-708
61. Klintip W, Jarudecha T, Rattanutumhi K et al. First study on stress evaluation and reduction in hospitalized cats after neutering surgery, *Vet World*, 2022; 15(9): 2111–2118
62. Kogan LR, Hellyer PW, Rishniw R et al. Veterinary Behavior: Assessment of Veterinarians' Training, Experience, and Comfort Level with Cases *J Vet Med Educ* 2020 47:2, 158-169
63. Kook PH, Boretti FS, Hersberger M et al. Urinary catecholamine and metanephrine to creatinine ratios in healthy dogs at home and in a hospital environment and in 2 dogs with pheochromocytoma. *J Vet Intern Med* 2007; 21, 388-393
64. Kuhne F Hößler JC, Struwe R. Behavioral and cardiac responses by dogs to physical human-dog contact. *J Vet Behav Clin Appl Res* 2014; 9: 93–97
65. Lefman SH, Prittle JE. Psychogenic stress in hospitalized patients; causation, implications and therapies. *J Vet Med Emerg Crit Care* 2019;29, 2017-120
66. Lilly ML, Arruda AG, Proudfoot KL et al. Evaluation of companion animal behavior knowledge among first-year veterinary students before and after an introductory animal behavior course. *J Am Vet Med Assoc* 2020, 256, 1153-63
67. Lind A-K, Hydbring-Sandberg E, Forkman B et al. Assessing stress in dogs during a visit to a veterinary clinic: correlations between dog behavior in standardized tests and assessments by veterinary staff and owners *J Vet Behav* 2017, 17, 24-31
68. Linhart P, Cerna G, Bedanova I. Factors affecting anxiety in dogs patients at Vetuni. *Animal Protection and Welfare*, 29th International Conference, 2022, 138
69. Lloyd, J.K.F. Minimising Stress for Patients in the Veterinary Hospital: Why It Is Important and What Can Be Done about It. *Vet. Sci.* 2017, 4, 22.
70. Lockhart J, Wilson K, Lanman C. The effects of operant training on blood collection for domestic cats. *Appl Anim Behav Sci* 2013; 143, 128-134
71. Lue TW, Pantenburg DP, Crawford PM. Impact of the owner-pet and client-veterinary bond on the care that pets receive. *J Am Vet Med Assoc* 2008; 232, 531-536
72. Mandese WW, Griffin FC, Reynolds PS et. Al. Stress in client-owned dogs related to clinical exam location: a randomised crossover trial. *J Small Anim Pract* 2021; 62: 82-88
73. Marino CL, Cober RE, Iazbik MC et al. White coat effect on systemic blood pressure in retired racing greyhounds. *J Vet Intern Med* 2011; 25, 861-865

74. Mariti C, Pierantoni L, Sighieri C, et al. Guardians' perceptions of dogs' welfare and behaviors related to visiting the veterinary clinic. *J Appl Welf Sci* 2017; 20, 24-33
75. Mariti C, Guerrini F, Vallini V et al. The perception of cat stress by Italian owners. *J Vet Behav* 2017;20, 74-81
76. Mariti C, Bowen J, Campa S et al. Guardians' perception of cats' welfare and behavior regarding veterinary visits. *J Appl Anim Welf Sci* 2016, 19, 375-384
77. Mariti C, Raspanti E, Zilocchi M, et al. The assessment of dog welfare in the waiting room of a veterinary clinic. *Anim Welf* 2015; 24, 299-305
78. Mariti C, Ricci E, Zilocchi M et al. Owners as a secure base for their dogs. *Behaviour* 2013; 150, 1275-1294
79. Mariti C, Ricci M, Mengoli M et al. Survey of travel related problems in dogs. *Vet Rec* 2012; 170: 542 doi: 10.1136/vr.100199
80. Mariti C, Gazzano A, Moore JL et al. Perception of dogs' stress by their owners *J Vet Behav* 2012; 7, 213-219
81. McBroom CF, Caron M. Reducing fear in canine veterinary appointments through fear free tactics. Bachelor of Science, Honors, [Student Thesis](#), 2018, Arizona State University
82. Mellor D. Updating Animal Welfare Thinking: Moving beyond the "Five Freedoms" towards "A LifeWorth Living". *Animals* 2016; 6, 21; doi:10.3390/ani6030021
83. Menor-Campos DJ, Joanne M. Williams JM, Gazzano A et al. Student veterinarians' ability to recognize behavioral signs of stress in dogs. *J Vet Behav* 2022; 50: 46-52
84. Menor-Campos DJ, Molleda-Carbonell JM, López-Rodríguez R. Effects of exercise and human contact on animal welfare in a dog shelter. *Vet Rec.* 2011;169(15):388
85. Mercier P, Honeckman L, Jokela F et al. Using standardized scales to assess fear at veterinary visits: Intra- and inter-rater reliability. *J Vet Behav* 2023; 62: 12-17
86. Mongillo P, Pitteri E, Carnier P, et al. Does the attachment system towards owners change in aged dogs? *Physiol behave.* 2013; 120, 64-69
87. Moody CM, Mason GJ, Dewey CE et al. Getting a grip: cats respond negatively to scruffing and clips. *Vet Rec* 2020. 186; 385 doi: 10.1136/vr.1052616
88. Moody CM, Picketts VA, Mason GJ et al. Can you handle it? Validating negative responses to restraint in cats. *Appl Anim Behav Sci*, 2018, 204: 94-100
89. Moody CM, Mason GJ, Dewey CE et al. Testing two behavioural paradigms for measuring post-handling cat aversion behaviour. *Appl Anim Behav Sci* 2019; 210, 73-80
90. Moore AM, Bain MJ. Evaluation of the addition of in-cage hiding structures and toys and timing of administration of behavioral assessments with newly relinquished shelter cats. *J Vet Behav* 2013; 8:450-457
91. Nibblett BM, Ketzis JK, Grigg EK. Comparison of stress exhibited by cats examined in a clinic versus a home setting. *Appl Anim Behav Sci* 2015; 173, 68-75
92. Palestini C, Previde EP, Spiezio C et al. Heart rate and behavioural responses of dogs in the Ainsworth's Strange Situation: A pilot study. *Appl Anim Behav Sci* 2005; 94, 75-88
93. Partners for Healthy Pets. Reversing the decline in veterinary care utilization; progress made, challenges remain. AAHA/AVMA White Paper. 2014
https://www.partnersforhealthypets.org/Uploads/iv4kcp3e.juc/VetCareUsageStudy_WhitePaper_July2014.pdf
94. Perego R, Proverbio D, Spada E. Increases in heart rate and serum cortisol concentrations in healthy dogs are positively correlated with an indoor waiting-room environment. *Vet Clin Pathol.* 2014;43(1):67-71
95. Pratsch L, Mohr N, Palme R et al. Carrier training cats reduces stress on transport to a veterinary practice. *Appl Anim Behav Sci* 2018, 206; 64-74
96. Quimby JM, Smith ML, Lunn KF. Evaluation of the effects of hospital visit stress on physiologic parameters in the cat. *J Fel Med Surg*, 2011; 13, 733-737

97. Rand JS, Kinnaird E, Bagglioni A et al. Acute stress hyperglycemia in cats is associated with struggling and increased concentrations of lactate and norepinephrine. *J Vet Intern Med* 2002; 16: 123–132
98. Riemer S, Heritier C, Windschnurer I et al. A Review on Mitigating Fear and Aggression in Dogs and Cats in a Veterinary Setting. *Animals (Basel)*. 2021 11:158. doi: 10.3390/ani11010158.
99. Rudnik K, Królaczyk K, Gościewska K. Dog's behaviour in a veterinary office. *Folia Pomer. Univ. Technol. Stetin*. 2022, 365(64)4, 58–67
100. Ryan L. Better veterinary visits – working towards a patient-friendly practice. *Vet Nurs J* 208; 33, 171-174
101. Schützing M, Hebesberger DV, Wess L. Cooperative care training as a means to prepare dogs (*canis lupus familiaris*) for a veterinary examination: an evaluation of owner-perception and the training process *Proc 4th annual EVCBMAW Proc*, 2022; 50
102. Shenoda Y, Ward MP, McKeegan D et al. "The Cone of Shame": Welfare Implications of Elizabethan Collar Use on Dogs and Cats as Reported by their Owners. *Animals (Basel)*. 2020 10(2):333. doi: 10.3390/ani10020333.
103. Shiverdecker MD, Schiml PA, Hennessy MB. Human interaction moderates plasma cortisol and behavioral responses of dogs to shelter housing. *Physiol Behav*. 2013. 109:75-9
104. Siracusa C, Manteca X, Cuenca R, et al. Effect of a synthetic appeasing pheromone on behavioral, neuroendocrine, immune, and acute-phase perioperative stress responses in dogs. *J Am Vet Med Assoc* 2010; 237, 673–681
105. Socha S, Mirońska M, Kołodziejczyk D., Analysis of factors affecting the quality and length of life of dogs. *Acta Sci. Pol. Zootechnica*, 2022; 21(3), 3–12
106. Solbak S, Epstein SE, Hopper K. Influence of needle gauge used for venipuncture on measures of hemostasis in cats. *J Fel Med Surg* 2019; 21, 143-147
107. Squair C, Proudfoot K, Montelpare W et al. Effects of Changing Veterinary Handling Techniques on Canine Behaviour and Physiology Part 1: Physiological Measurements. *Animals* **2023**, 13, 1253. <https://doi.org/10.3390/ani13071253>
108. Stanford TL. Behavior of dogs entering a veterinary clinic. *Appl Anim Behav Sci* 1981; 7, 271-279
109. Stella JL, Lord LK, Buffington T. Sickness behaviors in response to unusual environmental events in healthy cats and cats with FIC. *J Am Vet Med Assoc* 2011; 1; 67-73
110. Stellato AC, Flint HE, Widowski TM et al. Assessment of fear-related behaviours displayed by companion dogs (*Canis familiaris*) in response to social and non-social stimuli. *Appl Anim Behav Sci* 2017; 188, 84-90
111. Stellato AC, Flint HE, Dewey CE et al. Risk-factors associated with veterinary-related fear and aggression in owned domestic dogs. *Appl Anim Behav Sci* 2021; 241: 105374, <https://doi.org/10.1016/j.applanim.2021.105374>
112. Stellato AC, Hoffman H, Gowland S et al. Effect of high levels of background noise on dog responses to a routine physical examination in a veterinary setting. *App Anim Behav Sci*, 2019, 214, 64-71
113. Stellato A, Jajou S, Dewey CE et al. Effect of a Standardized Four-Week Desensitization and Counter-Conditioning Training Program on Pre-Existing Veterinary Fear in Companion Dogs. *Animals* 2019, 9,767
114. Stellato AC, Dewey CE, Widowski TM, Niel L. Evaluation of associations between owner presence and indicators of fear in dogs during routine veterinary examinations. *J Am Vet Med Assoc*. 2020; 257, 1031-1040
115. Stoneburner RM, Naughton B, Sherman B et al. Evaluation of a stimulus attenuation strategy to reduce stress in hospitalized cats. *J Vet Behav* 2021; 41: 33-38

116. Tanaka A, Wagner DC, Kass PH et al. Associations among weight loss, stress, and upper respiratoryinfection in shelter cats. *J Am Vet Med Assoc* 2012; 240; 570-576
117. Tateo A, Zappaterra M, Covella A et al. Factors influencing stress and fear-related behaviour of cats during veterinary examinations, *Ital J Anim Sci* 2021; 20, 46-58
118. Taylor AF. Literature review on the handling and restraint of cats in practice and its effect on patient welfare. *Vet Nurs J* 2020; 35: 162-166
119. Topal J, Miklosi A, Csanyi V et al. Attachment behavior in dogs (*Canis familiaris*): a new application of Ainsworth's (1996) strange situation test. *J. Comp. Psychol.* 1998; 112, 219–229.
120. Väisänen MA, Valros AE, Hakaoja E, Raekallio MR, Vainio OM. Pre-operative stress in dogs - a preliminary investigation of behavior and heart rate variability in healthy hospitalized dogs. *VetAnaesth Analg.* 2005;32(3):158-167
121. van der Leij WJR, Selman LDAM, Vernooij JCM et al. The effect of a hiding box on stress levels and body weight in Dutch shelter cats; a randomized controlled trial. *Plos ONE* 2019, <https://doi.org/10.1371/journal.pone.0223492>
122. Van Vonderen IK, Kooistra HS, Rijnberk A. Influence of veterinary care on the urine corticoid: creatinine ratio in dogs. *J Vet Int Med* 1998; 12, 431-435
123. Volk JO, Felsted KE, Thomas JG, et al. Executive summary of the Bayer veterinary care usage study. *JAm Vet Med Assoc* 2011; 238, 1275-1282
124. Volk JO, Thomas JG, Collieran EJ et al. Executive summary of phase 3 of the Bayer veterinary care usage study. *J Am Vet Med Assoc* 2014; 244: 709-802
125. Waite MR, Kodak TM. Owner-implemented paired-stimulus food preference assessments for companion dogs. *J Exper Anal Behav* 2023; 1-16
<https://doi.org/10.1002/jeab.846>
126. Wess L, Böhm A, Schützinger M et al. Effect of cooperative care training on physiological parameters and compliance in dogs undergoing a veterinary examination – A pilot study. *Appl Anim Behav Sci* 2022; 250,105615, <https://doi.org/10.1016/j.applanim.2022.105615>
127. Westlund K. To feed or not to feed: Counterconditioning in the veterinary clinic. *J Vet Behav* 2015; 10,433-437
128. Williams L. Cat handling and associated stress; a clinical nursing perspective. *Vet Nurs J* 2016; 31, 88-93
129. Wright C, Baugh S. Effectiveness of providing a box, or partially covering the cage front, on reducing cat stress. *Vet Nurse.* 2018; 9; 328-332
130. Zeiler GE, Fosgate GT, van Vollenhollen E et al. Assessment of behavioural changes in domestic cats during short term hospitalization. *J Fel Med Surg* 2014; 16, 499–503