

References

Pre-visit and In-clinic medications

- 1. Abrams J, Brennan R, Byosiere S-E. Trazodone as a mediator of transitional stress in a shelter; effects on illness, length of stay and outcome. J Vet Behav 2020; 26, 13-18
- 2. Albright J, Ballantyne K. Can anxiolytic medications induce long-term improvement in dogs with noise-aversion. Vet Rec 2020; 187, 486-488
- Amat M, Le Brech S, Garcia-Marato C et al. Preventing travel anxiety using dexmedetomidine hydrochloride oromucosal gel. In Denenberg S (ed). Proc 11th International Veterinary Behaviour Meeting, CABI Oxfordshire UK, 2017; 20-21
- 4. Anthes E. A crucial blind spot in veterinary medicine. (The placebo effect) The Atlantic Nov. 2019 https://www.theatlantic.com/science/archive/2019/11/danger-pet-placebo/601489/
- 5. Argüelles J, Echaniz M, Bowen J et al. The impact of a stress-reducing protocol on the quality of preanesthesia in cats. Vet Rec. 2021; 188: e138. doi: 10.1002/vetr.138
- Arguelles J, Enriquez J, Bowen J et al. Mirtazapine as a potential drug to treat social fears in dogs:five case examples. In Denenberg S (ed). Proc 11th International Veterinary Behaviour Meeting, CABI Oxfordshire UK, 2018, 84-85
- 7. Barletta M, Raffe M. Behavioral response and cost comparison of manual versus pharmacological restraint protocols in healthy dogs. Can Vet J 2016; 57, 258-64
- 8. Benson GJ, Grubb TL, Neff-Davis C et al. Perioperative stress response in the dog; effect of preemptive administration of medetomidine. Vet Surg 2000; 29, 85-91
- 9. Bhalla RJ, Trimble TA, Leece EA et al. Comparison of intramuscular butorphanol and buprenorphine combined with dexmedetomidine for sedation in cats. J Feline Med Surg. 2018 20(4):325-331.
- 10. Biermann K, Hungerbühler S, Mischke R et al. Sedative, cardiovascular, haematologic and biochemical effects of four different drug combinations administered intramuscularly in cats. Vet Anaesth Analg. 2012;39(2):137-50.
- 11. Blake JE, Adran D, Grady K et al. Evidence of increased positive affective state in dogs after treatment with firocoxib for osteoarthritis pain. 2020 Proc ACVB Vet Behav Symp, 3-4
- 12. Bufalari A, Moretti G, Pepe A et al. The use of alfaxalone in combination with opioids for cat sedation: preliminary results. AgroLife Scientific Journal 2020; 9, 48-53
- 13. Burke JE, Hess RS, Silverstein DC. Effectiveness of orally administered maropitant and ondansetron in preventing preoperative emesis and nausea in healthy dogs premedicated with a combination of hydromorphone, acepromazine, and glycopyrrolate. J Am Vet Med Assoc. 2022;15;260(S1):S40- S45.
- 14. Carson MA, Pankratz KE, Messenger KM et al. Efficacy of dexmedetomidine oromucosal gel to attenuate anxiety in client owned cats presented for routine veterinary care. Proc Vet Behav Symposium 2020, 5
- 15. Catbagan DL, Quimby JM, Mama KR, et al. Comparison of the efficacy and adverse effects of sustained-release buprenorphine hydrochloride following subcutaneous administration and buprenorphine hydrochloride following oral transmucosal administration in cats undergoing ovariohysterectomy. Am J Vet Res 2011; 72: 461–466
- 16. Chávez C, Ubilla MJ, Goich M et al. Decrease in behaviors associated with pain during catheter placement using a topical anesthetic formulation in cats. J Vet Behav 2021; 46, 15-17

- 17. Cohen A, Bennett SL. Oral transmucosal administration of dexmedetomidine for sedation in 4dogs. Can Vet J 2015; 56, 1144-8
- 18. Conzemius MG, Evans RB. Caregiver placebo effect for dogs with lameness from osteoarthritis. JAm Vet Med Assoc 2012; 241, 1314-1319
- **19.** Costa RS, Wetmore LA, Stein A. Randomized, blinded, controlled clinical trial to assess gastroesophageal reflux and regurgitation in dogs undergoing general anesthesia after hydromorphone premedication with or without acepromazine or dexmedetomidine. Am J Vet Res.2021 82(9):695-700.
- 20. <u>Costa</u> RS, Karas AZ, Borns-Weil S. Chill protocol to manage aggressive and fearful dogs. Clinicians Brief, May 2019, 63-65 <u>https://www.cliniciansbrief.com/article/chill-protocol-manage-aggressive-fearful-dogs</u>
- 21. Crisi PE, De Santis F, Giordano MV et al. Evaluation of eutectic lidocaine/prilocaine cream for jugular blood sampling in cats. J Feline Med Surg. 2021; 23:185-189
- Dent BT, Aarnes PK, Wavreille VA et al. Pharmacokinetics and pharmacodynamic effects of oral transmucosal and intravenous administration of dexmedetomidine in dogs. Am J Vet Res; 2019; 80,969-975
- 23. Deutsch J, Colette Jolliffe C, Archer E et al. Intramuscular injection of alfaxalone in combinationwith butorphanol for sedation in cats Vet Anaesth Analg 2017, 44, 794-802
- 24. Di Cesare F, Cagnardi P, Gioeni D et al. Pharmacokinetics of dexmedetomidine combined with methadone following oral-transmucosal and intramuscular administration in dogs. International Journal of Health, Animal Science and Food Safety, 2017; 4: DOI <u>10.13130/2283-3927/8416</u>
- 25. Di Girolamo N, Meursinge Reynders R. Deficiencies of effectiveness of intervention studies in veterinary medicine: a cross-sectional survey of ten leading veterinary and medical journals. PeerJ.2016 doi:10.7717/peerj.1649
- 26. Engel O, Muller HW, Klee R et al. Effectiveness of imepitoin for the control of anxiety and fear associated with noise phobia in dogs. J Vet Intern Med 2019; 33: 2675-2684
- 27. Erickson A, Harbin K, MacPherson J et al. A review of pre-appointment medications to reduce fearand anxiety in dogs and cats at veterinary visits. Can Vet J. 2021 62:952-960
- 28. Freedom of information summary; Pexion (imepitoin tablets). Boehringer Ingelheim VetMedica Inc. NADA 141-509; 2018,

https://animaldrugsatfda.fda.gov/adafda/app/search/public/document/downloadFoi/5907

- 29. Forster B, Engel O, Erhard M et al. Short-term imepitoin treatment reduces stress level in dogs with generalized anxiety disorder. J Vet Behav 2020; 38, 67-73
- 30. Fries RC, Kadotani S, Vitt JVP et al. Effects of oral trazodone on echocardiographic and hemodynamic variables in cats. J Fel Med Surg 2019; 2: 1080-1085.
- Gioeni D, Brioschi FA, Di Cesare F et al. Oral Transmucosal or Intramuscular Administration of Dexmedetomidine–Methadone Combination in Dogs: Sedative and Physiological Effects. *Animals*. 2020; 10(11):2057. <u>https://doi.org/10.3390/ani10112057</u>
- 32. Gilbert-Gregory SE, Stull JW, Rice MR et al. Effects of trazodone on behavioral signs of stress in hospitalized dogs. J Am Vet Med Assoc 2016; 249(11): 1281-1291
- 33. Grigg EK, Kogan LR, van Haaften K et al. Cat owners perceptions of psychoactive medications, supplements, and pheromones for the treatment of feline behavior problems. J Fel Med Surg 2019; 21, 902-909
- 34. Grove DM, Ramsay EC. Sedative and physiologic effects of orally administered α2-adrenoceptor agonists and ketamine in cats. J Am Vet Med Assoc 2000; 216, 1929-1932
- 35. Grubb T, Sager J, Gaynor JS, et al. 2020 AAHA Anesthesia and Monitoring Guidelines for Dogs andCats. J Am Anim Hosp Assoc. 2020; 56(2):59-82. Available at https://www.aaha.org/aaha-guidelines/2020-aaha-anesthesia-and-monitoring-guidelines-for-dogs-and-cats/anesthesia-and-monitoring-home/
- 36. Grubb TL, Greene SA, Perez TE. Cardiovascular and respiratory effects, and quality of anesthesia produced by alfaxalone administered intramuscularly to cats sedated with dexmedetomidine and hydromorphone. J Fel Med Surg 2013; 15, 858–865.

- Gruen M, Case BC, Robertson JB et al. Evaluation of repeated dosing of a dexmedetomidine oromucosal gel for treatment of noise aversion in dogs over a series of noise events. Vet Rec. 2020Dec 19;187(12):489. doi: 10.1136/vr.106046.
- 38. Gruen ME, Dorman DC, Lascelles BDX. Caregiver placebo effect in analgesic clinical trials for catswith naturally occurring degenerative joint disease-associated pain. Vet Rec. 2017; 180: 473. doi:10.1136/vr.104168
- 39. Gruen ME, Roe SC, Griffith E. Use of trazodone to facilitate postsurgical confinement in dogs. J AmVet Med Assoc 2014; 245, 296-301
- 40. Gruen ME, Roe SC, Griffith EH et al. The use of trazodone to facilitate calm behavior after elective orthopedic surgery in dogs: Results and lessons learned from a clinical trial. J Vet Behav 2017;22:41-45
- 41. Harrison KA, Robertson SA, Levy JK et al. Evaluation of medetomidine, ketamine and buprenorphine for neutering feral cats. J Fel Med Surg 2011; 13; 896-902
- 42. Hauser H, Campbell S, Korpivaara M et al. In-Hospital Administration of Dexmedetomidine Oromucosal Gel for Stress Reduction in Dogs During Veterinary Visits: A Randomized, Double-Blinded, Placebo-Controlled Study J Vet Behav 2020; 39, 77-85
- 43. Herron M, Shofer FS, Reisner IR. Restrospective evaluation of the effects of diazepam in dogs with anxiety-related behavior problems. J Am Vet Med Assoc 2008; 233,1420–4
- 44. Hudec CP, Griffin CE. Changes in stress markers cortisol and glucose before and after intradermal testing in cats after single administration of pre-appointment gabapentin. J Fel Med Surg 2020; 22:138-145
- 45. Hunt JR, Grint NJ, Taylor PM eta al. Sedative and analgesic effects of buprenorphine, combined with either acepromazine or dexmedetomidine, for premedication prior to elective surgery in cats and dogs. Vet Anaesth Analg. 2013; 40(3):297-307
- 46. Jay AR, Krotscheck U, Parsley E et al. Pharmacokinetics, bioavailability, and hemodynamic effects of trazodone after intravenous and oral administration of a single dose to dogs. Am J Vet Res 2013;74:1450–1456
- 47. Kanda T, Toda C, Morimoto H. Anti-emetic effect of oral maropitant treatment before the administration of bromonidine opththalmic solution in healthy cats. J Fel Med Surg 2020; 22: 557-563
- 48. Kanda T, Hikasa Y. Effects of medetomidine and midazolam alone or in combination on the metabolic and neurohormonal responses in healthy cats. Can J Vet Res. 2008 72(4):332-9
- 49. Kasten JI, Messenger KM, Campbell NB et al. Sedative and cardiopulmonary effects of buccally administered detomidine gel and reversal with atipamezole in dogs Am J Vet Res 2018; 79, 1253-1260
- 50. Kasten JI, Messenger KM, Campbell NB et al. Influence of ketamine on the cardiopulmonary effects of intramuscular administration of dexmedetomidine-buprenorphine with subsequent reversal with atipamezole in dogs. J Am Vet Med Assoc 2013; 242, 339-45
- 51. Kim S, Borchardt MR, Lee K et al. Effects of trazodone on behavioral and physiological signs of stress in dogs during veterinary visits: a randomized double-blind placebo-controlled crossover clinical trial. J Am Vet Med Assoc 2022; 260; 876-883
- 52. Ko JC, Barletta M, Sen I. et al. Influence of ketamine on the cardiopulmonary effects of intramuscular administration of dexmedetomidine-buprenorphine with subsequent reversal with atipamezole in dogs. J Am Vet Med Assoc 2013; 242, 339-45
- 53. Ko JC, Freeman LJ, Barletta M, et al. Efficacy of oral transmucosal and intravenous administration of buprenorphine before surgery for postoperative analgesia in dogs undergoing ovariohysterectomy. J Am Vet Med Assoc. 2011;238, 318-328
- Ko JCH, Mandsager RE, Lange DN et al. Cardiorespiratory responses and plasma cortisol concentrations in dogs treated with medetomidine before undergoing ovariohysterectomy. J AmVet Med Assoc 2000; 217:509–514
- 55. Kojima K, Nishimura R, Mutoh T et al. (1999) Comparison of cardiopulmonary effects of medetomidinemidazolam, acepromazine-butorphanol and midazolam-butorphanol in dogs. Zentralbl Veterinarmed A 1999; 46, 353–359.

- 56. Korpivaara M, Huhtinen M, Pohjanjousi P et al. Tasipimidine, a novel orally administered alpha-2 adrenoceptor agonist, alleviates canine acute anxiety associated with owner departure—A pilot study. J Vet Behav 2022; 58, 54-61
- Korpivaara M, Huhtinen M, Pohjanjousi P et al. Tasipimidine, a noveral orally active alpha-2 adrenoceptor agonist, alleviates signs of anxiety shown during veterinary examination- a pilot study. Proc European Veterinary Congress of Behavioural Medicine and Animal Welfare, October 7-9, 2021, 96-97
- Korpivaara M, Pohjanjousi P, Huhtinen M, et al. Tasipimidine, a novel orally dosed alpha-2 adrenoceptor agonist, alleviates canine acute anxiety and fear associated with travel – a pilot study. Proc 3rd European Veterinary Congress of Behavioural Medicine and Animal Welfare, October 7-9, 2021, 149-150
- 59. Korpivaara M, Laapas K, Huhtinen M et al. Dexmedetomidine oromucosal gel for noise- associated acute anxiety and fear in dogs—a randomised, double-blind, placebo-controlled clinical study. VetRec 2017; 180, 356 doi: 10.1136/vr.104045
- 60. Korpivaara M, Huhtinen M, Aspegrén J et al. Dexmedetomidine oromucosal gel reduces fear and anxiety in dogs during veterinary visits: A randomised, double-blind, placebo-controlled clinical pilot study. Vet Rec. 2021 doi: 10.1002/vetr.832.
- 61. Kraus BLH. Efficacy of orally administered maropitant citrate in preventing vomiting associated with hydromorphone administration in dogs. J Am Vet Med Assoc 2014; 244; 1164-69
- 62. Lamminen T, Korpivaara M, Suokko M et al. Efficacy of a Single Dose of Pregabalin on Signs of Anxiety in Cats During Transportation—A Pilot Study. Frontiers in Veterinary Science. 2021; DOI=10.3389/fvets.2021.711816
- **63.** Lamminen T, Korpivaara M, Aspegrén J, Palestrini C, Overall KL. Pregabalin Alleviates Anxiety and Fear in Cats during Transportation and Veterinary Visits—A Clinical Field Study. *Animals*. 2023; 13(3):371. https://doi.org/10.3390/ani13030371
- Landsberg G, Mougeot I, Kosziwka W et al. Development and validation of a dog travel anxiety model. In Proc 12th International Veterinary Behaviour Meeting. Washington, D.C. IVBM, Upton,UK. 2019; 21-23
- 65. Landsberg G, Dunn D, Korpivaara M. Anxiolytic effect of dexmedetomidine oromucosal gel (Sileo) and gabapentin in a feline travel anxiety model. In Proc 12th International Veterinary Behaviour Meeting. Washington, D.C. IVBM, Upton, UK. 2019; 94-95
- 66. Lee J, Suh S, Choi R, Hyun C. Cardiorespiratory and anesthetic effects produced by the combination of butorphanol, medetomidine and alfaxalone administered intramuscularly in Beagle dogs. J Vet Med Sci. 2016 77(12):1677-80
- 67. McPeake K, Affenzeller N, Mills D. Noise sensitivities in dogs; a new licensed treatment option.Vet Rec 2017; 180, 353-5
- 68. McPeake KJ, Mills DS. The use of imepitoin (Pexion) on fear and anxiety related problems in dogs –a case series. BMC Veterinary Research 2017; 13, 173
- 69. Messenger KM, Hopfensperger M, Knych HK et al. Pharmacokinetics of detomidine following intravenous or oro-transmucosal administration and sedative effects of the oro-transmucosal treatment in dogs. Am J Vet Res 2016; 77, 413-420
- 70. Monteiro JPS. ESVCE position statement on the use of medications to manage acute phobic states in dogs as an alternative to acepromazine. 2022 <u>https://esvce.org/wp-content/uploads/2022/07/ESVCE-Position-Statement-Use-of-Acepromazone.pdf</u>
- 71. Monteiro ER, Nunes-Junior JS, Bressan TF. Randomized clinical trial of the effects of a combination of acepromazine with morphine and midazolam on sedation, cardiovascular variables and the propofol dose requirements for induction of anesthesia in dogs. Vet J. 2014; 200(1):157-61.

- 72. Monteiro ER, Junior AR, Assis HM et al. Comparative study on the sedative effects of morphine, methadone, butorphanol or tramadol, in combination with acepromazine, in dogs. Vet Anaesth Analg. 2009; 36(1):25-33.
- 73. Moser KLM, Hasiuk MMM, Armstrong T et al. Randomized clinical trial comparing butorphanol and buprenorphine within a multimodal analgesic protocol in cats undergoing orchiectomy. J Fel Med Surg 2020; 22: 760-767
- 74. Murdock MA, Riccó Pereira CH, Aarnes TK et al. Sedative and cardiorespiratory effects of intramuscular administration of alfaxalone and butorphanol combined with acepromazine, midazolam, or dexmedetomidine in dogs. Am J Vet Res 2020 81:1, 65-76
- 75. Munana KR, Zhang D, Patterson EE. Placebo effect in canine epilepsy trials. J Vet Intern Med 2010;24, 166-170
- 76. Nejamkin P, Cavilla V, Clausse M et al. Sedative and physiologic effects of tiletamine-zolazepam following buccal administration in cats. J Fel Med Surg 2020; 22, 108-113
- 77. Ogata N, Dodman NH. The use of clonidine in the treatment of fear-based behavior problems indogs: An open trial, J Vet Behav 2011; 6, 130-137
- 78. Oliveira RLS, Soares JHN, Moreira CMR, et al. The effects of lidocaine–prilocaine cream on responses to intravenous catheter placement in cats sedated with dexmedetomidine and eithermethadone or nalbuphine. Vet Anaesth Analg 2019; 46: 492–495
- 79. Oyama MA, Ellenberg SS, Shaw PA. Clinical Trials in Veterinary Medicine: A New Era Brings New Challenges. J Vet Intern Med 2017; 31, 970-978
- Pan SY, Liu G, Lin JH et al. Efficacy and Safety of Dexmedetomidine Premedication in Balanced Anesthesia: A Systematic Review and Meta-Analysis in Dogs. Animals (Basel). 2021 Nov 14;11(11):3254. doi: 10.3390/ani11113254.
- Pankratz KE, Ferris KK, Griffith EH et al. Use of single dose oral gabapentin to attenuate fear response in cage-trap confined community cats: a double-blind, placebo-controlled field trial. J FelMed Surg 2017; 20, 535-543
- 82. Perdew, I, Emke, C, Johnson, B, et al. Evaluation of Pexion[®] (imepitoin) for treatment of storm anxiety in dogs: A randomised, double-blind, placebo-controlled trial. 2021;e18. https://doi.org/10.1002/vetr.18
- Piotti P, Uccheddu S, Alliani M et al. Management of specific fears and anxiety in the behavioral medicine of companion animals: punctual use of psychoactive medications. Dog Behavior, 2019; 2,23-30
- 84. Porter N, de Rooster H, Bosmans T et al. Pharmacokinetics of oral transmucosal and intramuscular dexmedetomidine combined with buprenorphine in cats. J Vet Pharmacol Therap 2014; 38, 203–208.
- 85. Porters N, Bosmans T, Debille M, et al. Sedative and antinociceptive effects of dexmedetomidineand buprenorphine after oral transmucosal or intramuscular administration in cats. Vet Anaesth Analg 2014; 41:90–96
- 86. Ramsey D, Fleck T, Berg T et al. Cerenia Prevents Perioperative Nausea and Vomiting and Improves Recovery in Dogs Undergoing Routine Surgery. Intern J Appl Res Vet Med. 2014; 12, 228-237
- Reader RC, Barton BA, Abelson AL. Comparison of two intramuscular sedation protocols on sedation, recovery and ease of venipuncture for cats undergoing blood donation. J Fel Med Surg2019: 21, 95– 102
- 88. Rice MR, Gilbert-Gregory S, Stull JW et al. Behavioral effects of trazodone in hospitalized dogs.Proc Veterinary Behavior Symposium 2016; San Antonio, 9
- 89. Robertson SA, Taylor M, Sear JW. Systemic uptake of burprenorphine by cats after oral mucosal administration. Vet Rec 2003; 152, 675-78
- 90. Robertson SA, Lascelles BD, Taylor PM et al. PK-PD modeling of buprenorphine in cats: intravenousand oral transmucosal administration. J Vet Pharmacol Ther 2005; 28: 453–460.

- 91. Santos LCP, Ludders JW, Erb HN, et al. Sedative and cardiorespiratory effects of dexmedetomidineand buprenorphine administered to cats via transmucosal and intramuscular routes. Vet Anaesth Analg 2010; 37, 417-24
- 92. Savvas I, Raptopoulos D, Rallis T. A "light meal" three hours pre-operatively decreases the incidence of gastro-esophageal reflux in dogs. J Am Anim Hosp Assoc 2016; 52, 357-363
- 93. Savvas I, Rallis T, Raptopoulos D. The effect of pre-anesthetic fasting time and type of food on gastric content volume and acidity in dogs. Vet Anaes Analg 2009; 36, 539-546
- 94. Shafford H. Serenity Now. Practical sedation options for cats and dogs. Proc NAVC, 2015, 87-89
- 95. Shimizu Y, Kanda T. Effects of Pre-anesthesia Anxiety On Propofol Induction Dose In Cats. *Animals*, 2021; 11: 2126.doi: <u>10.3390/ani11072126</u>
- 96. Simon BT, Steagall PV. Feline procedural sedation and analgesia. When, why and how. J Fel MedSurg 2020; 22, 1029-1045
- 97. Steagall PVM, Monteiro-Steagall BP, Taylor PM. A review of studies of buprenorphine in cats. J VetInt Med 2014; 28: 762-770
- 98. Stevens BJ, Frantz EM, Orlando JM et al. Efficacy of a single dose of trazodone hydrochloride givento cats prior to veterinary visits to reduce signs of transport- and examination-related anxiety. J Am Vet Med Assoc 2016; 249: 202-207
- Stollar O, Moore GE, Mukhopadhyay A et al. Effects of a single dose of oral gabapentin in dogs during a veterinary visit: a double-blinded, placebo-controlled study. J Am Vet Med Assoc 2022; 260 (9); 1031-1040
- 100. van Haaften KA, Grigg EK, Kolus C, et al. A survey of dog owners' perceptions on the use of psychoactive medications and alternatives for the treatment of canine behavior problems. J Vet Behav 2020; 35, 27-33
- 101. van Haaften KA, Eichstadt Forseith LR, Stelow EA et al. Effects of a single pre-appointment dose of gabapentin on signs of stress in cats during transportation and veterinary examination. J Am Vet Med Assoc 2017; 251, 1175-1181
- 102. van Haaften KA, Grigg EK, Kolus C, et al. A survey of dog owners' perceptions on the use of psychoactive medications and alternatives for the treatment of canine behavior problems. J Vet Behav 2020; 35, 27-33
- 103. van Oostrom H and Knowles TG. The clinical efficacy of EMLA cream for intravenous catheter placement in client owned dogs. Vet Anaesth Analg 2018; 45: 604–608.
- 104. Ward JL, Schober KE, Fuentes VL et al. Effects of sedation on echocardiographic variables of left atrial and left ventricular function in healthy cats. J Feline Med Surg. 2012;14(10):678-85
- 105. Wheeler EP, Abelson AL, Lindsey JC et al. Sedative effects of alfaxalone and hydromorphone with or without midazolam in cats: a pilot study. J Feline Med Surg. 2021 23(12):1109-1116.